

Work Order ID 86585

July-05-12 1:14:25 PM

86585

Page 1

Item ID: D2989-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Basket Lid Assembly
 Start Date: 7/05/12 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 8/03/12 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: CL Date: 12/07/05 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2989	Rev D								
100	Large Fab	0.00							
100									
Large Fab	Memo	0.00							
Large Fab	1- assemble all ribs in DT9446 jig, weld as per dwg D2989 2- tack weld mesh on basket as per dwg D2989 using DT9446 jig 3- to locate hinges and shims use D2989-041, weld as per dwg D2989 A/R ER316 S.S. Rod Batch: <u>11/22/130</u>								
110	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
110									
QC	Memo	0.00							
Quality Control									

Pl 12.12.17

1x

DA 23 18
 12.12.18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86585

86585

Page 2

July-05-12 1:14:25 PM

Item ID: D2989-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Basket Lid Assembly
 Start Date: 7/05/12 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 8/03/12 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC6- Inspect dimensions to drawing Memo	0.00 0.00 12/12/18	DAS 15 8-89	DAS 09 8-89		1			
125 *125* HandFinish Hand Finishing	Pressure Wash per QSI005 4.3 Memo	0.00 0.00				1	16	12-12-18	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86585

86585

Page 3

July-05-12 1:14:25 PM

Item ID: D2989-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Basket Lid Assembly
 Start Date: 7/05/12 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 8/03/12 Req'd Qty: 1.00 *1* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130	White Gloss(Ref.4.3.5.2) per QSI005 4.3-Steel	0.00							
-----	---	------	--	--	--	--	--	--	--

130

Powdercoat

Powder Coating

Memo

1- Plug holes prior to powder coating

2-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4.3 & Dwg D2989

1ST COAT

START TIME: 1:00

OVEN TEMPERATURE: 400°F

FINISH TIME: 1:30

***** 2nd coat if necessary *****

2ND COAT:

START TIME: 2:00

OVEN TEMPERATURE: 400°F

FINISH TIME: 2:30

140

QC3- Inspect Part Finish

140

QC

Quality Control

Memo

0.00

LX / 12/12/18

1 / 12-12-19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86585

86585

Page 4

July-05-12 1:14:25 PM

Item ID: D2989-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Basket Lid Assembly
 Start Date: 7/05/12 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 8/03/12 Req'd Qty: 1.00 *1* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <u>D350-607-043</u>		<u>87538</u>			<u>1</u>	<u>0</u>	<u>12-12-19</u>	
150									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.00							
Quality Control									

13/1/9

mf
12-12-27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

July-05-12 1:14:25 PM

Page 1

Work Order ID: 86585

Parent Item: D2989-043

Parent Item Name: Basket Lid Assembly

Start Date: 7/05/12

Required Date: 8/03/12

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:I Removed D2989-041 05-11-03 JLM
 IPP Rev:J 08-08-29 revC as per dwg DD verified by:EC
 IPP Rev:K 08-09-24 plug holes prior to powder coating DD verified by:EC
 IPP Rev:L 08-12-02 revD as per dwg DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2221-1 Rib		Manufactured	No			100	Each	8.0000	1	1	DAS 24 8-89	12-12-12	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				WA		8							
				83907		8							
D2989-3 Rib		Manufactured	No			100	Each	5.0000	1	1	DAS 24 8-89	12-12-12	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				WA		4							
				77527		4							
				WA005		1							
				72408		1							
D2989-4 Rib		Manufactured	No			100	Each	5.0000	1	1	DAS 24 8-89	12-12-12	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				WA005		5							
				72409		1							
				77524		4							
D2989-5 Rib		Manufactured	No			100	Each	4.0000	2	2	DAS 24 8-89	12-12-12	
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				WA		3							
				81911		3							
				WA005		1							
				71222		1							

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

July-05-12 1:14:25 PM

Page 2

Work Order ID: 86585
Parent Item: D2989-043
Parent Item Name: Basket Lid Assembly

Start Date: 7/05/12

Required Date: 8/03/12

Start Qty: 1.00

Required Qty: 1.00

D3182-1
Hinge

Manufactured No

100 Each 12.0000 2

DAS 24 8-83 12.12.12
B70725 → ①

Location	Loc Qty	Loc Code
WA	12	
77316	4	
82707	8	

D3442-3
Shim

Manufactured No

100 Each 14.0000 2

DAS 24 8-83 12.12.12
B79123 → ①

Location	Loc Qty	Loc Code
WA	14	
79123	6	
82708	8	

D3827-041
Rib Assembly (Inboard)

Manufactured No

100 Each 11.0000 1

DAS 24 8-83 12.12.12
B87587 → ①

Location	Loc Qty	Loc Code
WA	5	
81038	5	
WA006	6	
72729	1	
84792	5	

D3832-5
Mesh (Lid)

Manufactured No

100 Each 0.0000

DAS 24 8-83 12.12.12
B77756 → ①

D3833-5
Mesh (Lid End)

Manufactured No

100 Each 38.0000

DAS 24 8-83 12.12.12
B67461 → ②

Location	Loc Qty	Loc Code
WA035	38	
67461	38	

D3838-041
Rib Assembly (Basket Lid, LH)

Manufactured No

100 Each 5.0000 1

DAS 24 8-83 12.12.12
B89333 → ①

Location	Loc Qty	Loc Code
WA005	5	
77525	5	

July-05-12 1:14:25 PM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

July-05-12 1:14:25 PM

Page 3

Work Order ID: 86585

Parent Item: D2989-043

Parent Item Name: Basket Lid Assembly

Start Date: 7/05/12

Required Date: 8/03/12

Start Qty: 1.00

Required Qty: 1.00

~~D3838-042~~

Manufactured No

100 Each 5.0000

1

1

Rib Assembly (Basket Lid, RH)

24 12-12-12
B 84798

Location

Loc Qty

Loc Code

WA005

5

72415

1

77526

4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

D2989-043 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)

D2989-041 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)

△

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	X		D2989-041	BASKET LID ASSEMBLY
2		X	D2989-043	BASKET LID ASSEMBLY
3	1		D2506	LABEL PLATE
4	1		D2512-7	RIB
5	2		D2581	MOUNTING BRACKET
6		1	D2989-3	RIB
7		1	D2989-4	RIB
8		2	D2989-5	RIB
9	2		D2989-13	RIB
10	2	1	D2989-17	RIB
11	2		D2989-19	RIB
12		2	D3182-1	HINGE
13		2	D3442-3	SHIM
14		1	D3827-041	RIB ASSY (INBOARD)
15	1		D3832-3	MESH, BASKET LID
16		1	D3832-5	MESH, BASKET LID
17	2		D3833-3	MESH, LID END
18		2	D3833-5	MESH, LID END
19	1		D3836-041	RIB ASSY (BASKET LID, LH)
20	1		D3836-042	RIB ASSY (BASKET LID, RH)
21		1	D3838-041	RIB ASSY (BASKET LID, LH)
22		1	D3838-042	RIB ASSY (BASKET LID, RH)
23	1		D3852-041	RIB ASSEMBLY
24	1		D3852-042	RIB ASSEMBLY

RELEASED
08/11/18


D	REVISED -041/-043 PARTS LISTS AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1). D3836-041 REPLACES D2989-9/-15. D3836-042 REPLACES D2989-10/-15. D3838-041 REPLACES D2989-11/-7. D3838-042 REPLACES D2989-2/-7. D3852-041 REPLACES D2989-11. D3852-042 REPLACES D2989-2. REMOVED D2327-3 (NOW INSTALLED ON D3836 DWG). D2989-9/-10 (NOW ON D3836 DWG). D2989-1/-2/-7/-15 (NOW ON D3836 DWG) AND D2989-11/-12 (NOW ON D3852 DWG). REASON: TO SATISFY "LEAN MANUFACTURING" PROGRAM	MB	08.09.24
C	FRAME MATERIAL WAS 0.060 WALL; MESH MATERIAL UPDATED; DRAWING TRANSFERRED TO "B" FORMAT AND CURRENT DRAFTING STANDARD	AJS	08.06.20
B	ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS	PH	05.06.07
A	NEW ISSUE	DS	00.10.27
REV.	DESCRIPTION	BY	DATE


DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	REV. D
DRAWN		DRAWING NO. D2989	SHEET 1 OF 5
CHECKED		TITLE BASKET LID ASSEMBLY	SCALE NTS
MFG. APPR.		COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	
APPROVED		DATE 08.09.24	
DE APPR.			


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4
SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D2989-041 = 26.50 lbs; D2989-043 = 15.50 lbs
- 8) WELD PER DART QSI 004


CX12107105
W10: 86585








D2989-3 RIB



D2989-4 RIB

NOTES:





- 1) MATERIAL: D3166-3 BASKET HOOP
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 8) WEIGHT: D2989-3/4 = 0.39 lbs;



**TYPICAL SECTION
VIEW**

RELEASED
08/11/18

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	<small>COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC. M304TS0.750W0.065
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: D2989-5 = 0.37 lbs; D2989-13 = 0.81 lbs; D2989-17 = 4.57 lbs; D2989-19 = 1.50 lbs

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	<small>COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

RELEASED
08/11/18